




Client Name: Point Remove Hemp Co
Address: PO Box 124, Atkins, AR 72823
Phone: 479-886-8295
License Number: H182, H183



Sample ID: AR21932
Sample Name: Canine Blend Pkg size: 30 ml
 250mg CBD
Sample Matrix: Tincture
Date Received: 11/23/2022
Batch ID:
State ID:
Date Reported: 11/29/2022
Density: 0.96
Package Volume: 30.0
Servings: 30



Cannabinoids

Standard potency analysis utilizing Ultra High Performance Liquid Chromatography (UHPLC; SOP-068-AR) | Test ID: #123337

Analyte	%	mg/g	mg/ml	mg/serving	mg/package	LOD (mg/g)	LOQ (mg/g)
CBC	0.022	0.222	0.213	0.213	6.39	0.016	0.049
CBCA	ND	ND	ND	ND	ND	0.022	0.065
CBD	0.786	7.861	7.547	7.547	226.41	0.018	0.054
CBDA	0.111	1.106	1.062	1.062	31.86	0.009	0.025
CBDV	0.008	0.077	0.073	0.073	2.19	0.009	0.026
CBDVA	ND	ND	ND	ND	ND	0.016	0.051
CBG	0.011	0.106	0.102	0.102	3.06	0.001	0.002
CBGA	ND	ND	ND	ND	ND	0.005	0.015
CBN	ND	ND	ND	ND	ND	0.020	0.062
9-THC	0.018	0.183	0.176	0.176	5.28	0.039	0.119
delta-8-THC	< LOQ	< LOQ	< LOQ	< LOQ	< LOQ	0.073	0.222
THCA	ND	ND	ND	ND	ND	0.034	0.105
THCV	ND	ND	ND	ND	ND	0.012	0.036
THCVA	< LOQ	< LOQ	< LOQ	< LOQ	< LOQ	0.049	0.147

Total Cannabinoids					
	%	mg/g	mg/ml	mg/serving	mg/package
Total THC:	0.018	0.183	0.176	0.176	5.276
Total CBD:	0.883	8.831	8.478	8.478	254.34
Total Cannabinoids:	0.956	9.556	9.174	9.174	275.205

Brandon Thornton
 Pharm D, Co-Owner & CEO
 Date: 11/29/2022






Client Name: Point Remove Hemp Co
Address: PO Box 124, Atkins, AR 72823
Phone: 479-886-8295
License Number: H182, H183



Sample ID: AR21933
Sample Name: Canine Blend Pkg size: 30 ml
 500mg CBD
Sample Matrix: Tincture
Date Received: 11/23/2022
Batch ID:
State ID:
Date Reported: 11/29/2022
Density: 0.96
Package Volume: 30.0
Servings: 30



Cannabinoids

Standard potency analysis utilizing Ultra High Performance Liquid Chromatography (UHPLC; SOP-068-AR) | Test ID: #123338

Analyte	%	mg/g	mg/ml	mg/serving	mg/package	LOD (mg/g)	LOQ (mg/g)
CBC	0.047	0.471	0.452	0.452	13.56	0.016	0.048
CBCA	ND	ND	ND	ND	ND	0.022	0.065
CBD	1.444	14.437	13.86	13.86	415.8	0.018	0.054
CBDA	0.216	2.16	2.074	2.074	62.22	0.008	0.025
CBDV	0.016	0.156	0.149	0.149	4.47	0.008	0.026
CBDVA	< LOQ	< LOQ	< LOQ	< LOQ	< LOQ	0.016	0.050
CBG	0.023	0.228	0.219	0.219	6.57	0.001	0.002
CBGA	0.002	0.019	0.018	0.018	0.54	0.005	0.015
CBN	ND	ND	ND	ND	ND	0.020	0.062
9-THC	0.045	0.446	0.429	0.429	12.87	0.038	0.118
delta-8-THC	ND	ND	ND	ND	ND	0.072	0.220
THCA	ND	ND	ND	ND	ND	0.034	0.104
THCV	ND	ND	ND	ND	ND	0.012	0.035
THCVA	< LOQ	< LOQ	< LOQ	< LOQ	< LOQ	0.048	0.145

Total Cannabinoids					
	%	mg/g	mg/ml	mg/serving	mg/package
Total THC:	0.045	0.446	0.429	0.429	12.859
Total CBD:	1.633	16.332	15.679	15.679	470.36
Total Cannabinoids:	1.792	17.918	17.201	17.201	516.044

Brandon Thornton
 Pharm D. Co-Owner & CEO
 Date: 11/29/2022



11711 HERMITAGE ROAD, SUITE #5
 LITTLE ROCK, AR 72211
 License #: BL157155
 Phone: 501-516-8028

Certificate of Analysis



Client Name: Point Remove Hemp Co

Address: PO Box 124, Atkins, AR 72823

Phone: 479-886-8295

License Number: H182, H183

Sample Result: PASS



Sample ID: AR18402

Sample Name: Pet CBD 1000mg

Sample Matrix: Concentrate

Date Received: 9/7/2022

Batch ID:

State ID:

Date Reported: 10/8/2022

Cannabinoids

Standard potency analysis utilizing Ultra High Performance Liquid Chromatography (UHPLC; SOP-068-AR) | Test ID: #103481

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
CBC	ND	ND	0.30	0.92
CBCA	ND	ND	0.41	1.22
CBD	2.837	28.368	0.33	1.02
CBDA	0.314	3.144	0.16	0.47
CBDV	ND	ND	0.16	0.49
CBDVA	ND	ND	0.30	0.94
CBG	ND	ND	0.01	0.03
CBGA	ND	ND	0.09	0.28
CBN	ND	ND	0.38	1.16
9-THC	ND	ND	0.73	2.22
delta-8-THC	ND	ND	1.36	4.15
THCA	ND	ND	0.64	1.96
THCV	ND	ND	0.22	0.67
THCVA	ND	ND	0.92	2.74

Total Cannabinoids		
	%	mg/g
Total THC:	ND	ND
Total CBD:	3.112	31.125
Total Cannabinoids:	3.151	31.511



Sample ID: AR18402

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN ARKANSAS. Steep Hill Arkansas does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.



Accreditation # 97338

11711 HERMITAGE ROAD, SUITE #5
 LITTLE ROCK, AR 72211
 License #: BL157155
 Phone: 501-516-8028

Certificate of Analysis

Residual Solvents PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (HS-GC-MS; SOP-010-AR) - Limit units: µg/g Test ID: #110949

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)	LOQ (µg/g)
1-Butanol	PASS	ND	5000	74.180	247.268
1-Pentanol	PASS	ND	5000	74.180	247.268
1-Propanol	PASS	ND	5000	74.180	247.268
1,2-Dimethoxyethane	PASS	ND	100	4.970	16.567
1,4-Dioxane	PASS	ND	380	4.970	16.567
2-Butanol	PASS	ND	5000	74.180	247.268
2-Butanone	PASS	ND	5000	74.180	247.268
2-Ethoxyethanol	PASS	ND	160	9.940	33.134
2-Methylbutane	PASS	ND	5000	74.180	247.268
2-Methylpentane	PASS	ND	290	4.970	16.567
2-Propanol (IPA)	PASS	ND	5000	74.180	247.268
2,2-Dimethylbutane	PASS	ND	290	4.970	16.567
2,3-Dimethylbutane	PASS	ND	290	4.970	16.567
3-Methylpentane	PASS	ND	290	4.970	16.567
Acetone	PASS	ND	5000	74.180	247.268
Acetonitrile	PASS	ND	410	4.970	16.567
Benzene	PASS	ND	2	0.321	1.039
n-Butane	PASS	ND	5000	74.180	247.268
Cumene	PASS	ND	70	4.970	16.567
Cyclohexane	PASS	ND	3880	74.180	247.268
Dichloromethane	PASS	ND	600	9.124	30.414
Dimethyl Sulfoxide	PASS	ND	5000	74.180	247.268
Ethanol	PASS	ND	5000	74.180	247.268
Ethyl Acetate	PASS	ND	5000	74.180	247.268
Ethyl Ether	PASS	ND	5000	74.180	247.268
Ethylene Glycol	PASS	ND	620	35.928	119.777
Ethylene Oxide	PASS	ND	50	4.970	16.567
n-Heptane	PASS	ND	5000	74.180	247.268
n-Hexane	PASS	ND	290	4.970	16.567
Isopropyl Acetate	PASS	ND	5000	74.180	247.268
Methanol	PASS	ND	3000	74.180	247.268
Methylpropane	PASS	ND	5000	74.180	247.268
N,N-Dimethylacetamide	PASS	ND	1090	19.880	66.268
N,N-Dimethylformamide	PASS	ND	880	19.880	66.268
n-Pentane	PASS	ND	5000	74.180	247.268
Propane	PASS	ND	5000	74.180	247.268
Pyridine	PASS	ND	200	9.940	33.134
Sulfolane	PASS	ND	160	35.928	119.777
Tetrahydrofuran	PASS	ND	720	4.970	16.567
Toluene	PASS	ND	890	4.970	16.567
Xylenes	PASS	ND	2170	74.180	247.268



Sample ID: AR18402

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN ARKANSAS. Steep Hill Arkansas does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.



Accreditation # 97338

11711 HERMITAGE ROAD, SUITE #5
 LITTLE ROCK, AR 72211
 License #: BL157155
 Phone: 501-516-8028

Certificate of Analysis

Pesticides

PASS

Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS + GC-MSMS; SOP-070-AR + SOP-073-AR) - **Limit units: ug/g = ppm** | Test ID: #110948

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)	LOQ (µg/g)
Abamectin	PASS	ND	0.500	0.036	0.121
Acephate	PASS	ND	0.400	0.026	0.086
Acequinocyl	PASS	ND	2.000	0.146	0.487
Acetamiprid	PASS	ND	0.200	0.026	0.087
Aldicarb	PASS	ND	0.400	0.018	0.060
Azoxystrobin	PASS	ND	0.200	0.023	0.078
Bifenazate	PASS	ND	0.200	0.016	0.054
Bifenthrin	PASS	ND	0.200	0.037	0.123
Boscalid	PASS	ND	0.400	0.042	0.139
Carbaryl	PASS	ND	0.200	0.016	0.052
Carbofuran	PASS	ND	0.200	0.018	0.061
Chlorantraniliprole	PASS	ND	0.200	0.029	0.095
Chlorfenapyr	PASS	ND	1.000	0.029	0.086
Chlorpyrifos	PASS	ND	0.200	0.027	0.089
Clofentazine	PASS	ND	0.200	0.037	0.122
Cyfluthrin	PASS	ND	1.000	0.045	0.131
Cypermethrin	PASS	ND	1.000	0.045	0.135
Daminozide	PASS	ND	1.000	0.054	0.179
Diazinon	PASS	ND	0.200	0.019	0.063
DDVP (Dichlorvos)	PASS	ND	0.100	0.025	0.083
Dimethoate	PASS	ND	0.200	0.026	0.085
Ethoprophos	PASS	ND	0.200	0.025	0.085
Etofenprox	PASS	ND	0.400	0.036	0.120
Etoxazole	PASS	ND	0.200	0.029	0.097
Fenoxycarb	PASS	ND	0.200	0.023	0.077
Fenpyroximate	PASS	ND	0.400	0.019	0.062
Fipronil	PASS	ND	0.400	0.036	0.121
Fonicamid	PASS	ND	1.000	0.046	0.154
Fludioxonil	PASS	ND	0.400	0.044	0.146
Hexythiazox	PASS	ND	1.000	0.019	0.064
Imazalil	PASS	ND	0.200	0.043	0.142
Imidacloprid	PASS	ND	0.400	0.020	0.067
Kresoxim-methyl	PASS	ND	0.400	0.018	0.059
Malathion	PASS	ND	0.200	0.012	0.041
Metalaxyl	PASS	ND	0.200	0.018	0.061
Methiocarb	PASS	ND	0.200	0.018	0.059
Methomyl	PASS	ND	0.400	0.026	0.088
Methyl parathion	PASS	ND	0.200	0.029	0.086
MGK-264	PASS	ND	0.200	0.009	0.031
Myclobutanil	PASS	ND	0.200	0.022	0.073
Naled	PASS	ND	0.500	0.039	0.131
Oxamyl	PASS	ND	1.000	0.037	0.124
Paclobutrazol	PASS	ND	0.400	0.031	0.104
Permethrins	PASS	ND	0.200	0.027	0.080
Phosmet	PASS	ND	0.200	0.028	0.092
Piperonyl Butoxide	PASS	ND	2.000	0.018	0.060
Prallethrin	PASS	ND	0.200	0.018	0.060
Propiconazole	PASS	ND	0.400	0.013	0.043
Propoxur	PASS	ND	0.200	0.014	0.047
Pyrethrins	PASS	ND	1.000	0.060	0.199
Pyridaben	PASS	ND	0.200	0.030	0.100
Spinosad	PASS	ND	0.200	0.034	0.113
Spiromesifen	PASS	ND	0.200	0.030	0.098
Spirotetramat	PASS	ND	0.200	0.014	0.048
Spiroxamine	PASS	ND	0.400	0.044	0.146
Tebuconazole	PASS	ND	0.400	0.013	0.043
Thiacloprid	PASS	ND	0.200	0.015	0.051
Thiamethoxam	PASS	ND	0.200	0.015	0.051
Trifloxystrobin	PASS	ND	0.200	0.019	0.063



Sample ID: AR18402

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN ARKANSAS. Steep Hill Arkansas does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.



Accreditation # 97338

11711 HERMITAGE ROAD, SUITE #5
 LITTLE ROCK, AR 72211
 License #: BL157155
 Phone: 501-516-8028

Certificate of Analysis

Heavy Metals PASS

Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS; SOP-072-AR) - **Limit units: µg/kg** Test ID: #110250

Analyte	Pass/Fail	Result (ug/kg)	Limit	LOD (ug/kg)	LOQ (ug/kg)
Arsenic	PASS	ND	200	9.682	30.984
Cadmium	PASS	ND	200	9.682	30.984
Lead	PASS	ND	500	23.238	77.459
Mercury	PASS	ND	100	3.873	15.492

Microbials PASS

Microbiological screening utilizing 3M Petrifilm (SOP-700-AR) - **Limit units: CFU/g** Test ID: #110247

Analyte	Pass/Fail	Result	Limit	LOQ
Coliform	PASS	ND	>0	8.332
General E. Coli	NT	NT	NT	NT



Brandon Thornton
 Pharm D. Co-Owner & CEO
 Date: 10/8/2022



Sample ID: AR18402

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN ARKANSAS. Steep Hill Arkansas does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.



Accreditation # 97338